

Safety Data Sheet

Fibroseal Primer

Roofing

Issue Date: May 2020

7 Day Technical Support 1800 655 711

1. Identification of the Material and Supplier

Company Name:	Crommelin	U.N. Number:	N/A
Address:	72 Division St, Welshpool, WA	Dangerous Goods Class/ and Subsidiary Risk:	N/A
Telephone Contact:	+61 8 9458 5711	Hazchem Code:	N/A
Emergency Contact:	Poisons Information Centre 13 11 26	Poisons Schedule:	S5
Fax:	+61 8 9451 4749	IATA Code	N/A
Product Name:	Fibroseal® Primer 7117	IMDG Code	N/A
Manufacturers Code:	Priming of asbestos cement sheeting prior to painting. Apply by low pressure spray.		
Recommended Uses:			

2. Hazardous Material

Hazard Classification: HAZARDOUS SUBSTANCE. NON-DANGEROUS GOOD.
Classified as Hazardous according to the criteria of NOHSC. Not classified as a Dangerous Good according to the Australian Dangerous Goods Code.

Hazard Identification:

Eye damage/irritation: Category 2A

Skin corrosion/irritation: Category 2

Label elements

Hazard pictogram(s)



Signal word(s):

Warning

Hazard statement(s):

H319: Causes serious eye irritation.

H315: Causes skin irritation.

Precautionary statement(s):

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other hazards:

Spilled material is very slippery. Can etch glass if not promptly removed

3. Composition/ Information on Hazardous Ingredients

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Proportion</u>
Inorganic Silicate	1312-76-1	10-60%
Acrylic Emulsion	Not Classified	10-60%
Water	7732-18-5	to 100

Safety Data Sheet

Fibroseal Primer

Roofing

Issue Date: May 2020

7 Day Technical Support 1800 655 711

4. First Aid

Swallowed:	Do not induce vomiting. Wash mouth and lips thoroughly with water and give 200-300ml of water to drink. Seek medical advice if symptoms persist.
Eyes:	Immediately flush gently with running water, holding eyelids open for 15 mins. Seek medical attention.
Skin:	Wash affected area immediately with soap and water. If irritation develops seek medical attention.
Inhaled:	Water-based, treat for drowning.
First Aid Facilities:	Eye wash and normal wash room facilities.
Advice to Doctor:	Treat symptomatically.
Other information:	For advice in an Emergency, contact Poisons information centre Ph: 13 11 26 (Australia) or a doctor.

5. Fire Fighting Measures

Flammability:	Not Flammable
Suitable Extinguishing Media:	Not combustible however, if material is involved in a fire use fine water spray, normal foam, or dry agent (carbon dioxide, dry chemical powder)
Hazards from combustion:	Under fire conditions the product may emit toxic fumes including carbon monoxide and carbon dioxide, as well as traces of acrylic monomers.
Product Specific Hazards:	This product is not combustible. However, under fire conditions, following evaporation of the aqueous component, the organic components may decompose and/or burn.
Precautions in connection with fire:	Fire fighters should wear self-contained breathing apparatus and full PPE to prevent exposure to vapours, fumes and products of combustion. Water spray may be used to cool down heat-exposed containers

6. Accidental Release Measures

Emergency Procedures:	Avoid accidents, clean up immediately. Wear appropriate PPE to minimise exposure. Absorb spilt product with the use of inert absorbent material, sand or earth. Collect and place in labelled containers. Dispose as per local, state and federal government regulations. Do not allow large spills to enter drains or sewers, inform local water authorities and EPA in accordance with local regulations.
-----------------------	---

7. Handling and Storage

Precautions for safe handling:	Wear appropriate PPE to prevent inhalation, skin and eye contact. Use in areas with adequate ventilation. Practice good personal hygiene. Keep containers closed when not in use.
Conditions for safe storage and transport:	Store in a cool, dry, well ventilated place, away from incompatible storage materials such as strong acids, strong bases and oxidising agents. Protect from freezing and against physical damage. Keep out of reach of children.
Spills and disposal:	Absorb spilt product onto inert absorbent material, sand or earth and collect and place in labelled containers. Dispose as per local, state and federal government regulations. Do not allow large spills to enter drains or sewers, inform local water authorities and EPA in

Safety Data Sheet

Fibroseal Primer

Roofing

Issue Date: May 2020

7 Day Technical Support 1800 655 711

Fire/explosion hazard:	accordance with local regulations This product is not combustible. However, under fire conditions, following evaporation of the aqueous component, the organic components may decompose and/or burn.
8. Exposure Controls/ Personal Protection	
Exposure limits:	None established for the mixture by NOHSC, Australia. However over exposure to some chemicals may result in adverse effects on health, or aggravation of pre-existing medical conditions and/or allergic reactions and should be kept to the lowest possible levels.
Biological limit:	No Biological limit allocated.
Ventilation:	No special ventilation requirements. Use with good ventilation to keep airborne concentrations as low as possible. Where vapours or mists are generated a local exhaust, ventilation system drawing vapours away from workers' breathing zone, should be used.
Personal protection:	Normal site PPE. Observe good industrial hygiene.
Respiratory Protection:	Not normally required. If engineering controls are not effective, then an approved respirator with a replaceable organic vapour filter should be used.
Eye Protection:	Safety glasses with side shields or goggles as appropriate.
Hand Protection:	Use chemical resistant gloves
Body Protection:	Suitable protective work wear, e.g. cotton overalls.
9. Physical Description/ Properties	
Appearance:	Milky
Odour:	Mild Odour
Melting Point:	0°C (water)
Boiling Point:	100°C (water)
Solubility in Water:	Miscible in all proportions
Specific Gravity:	1.08
pH value:	10.5-11.5
Vapour Pressure:	17.5mm Hg @ 20°C (water)
Vapour Density:	Not Available
Evaporation Rate:	Not Available
Flash Point:	Not Applicable
Flammability:	Non – combustible liquid
Flammable Limits Lower:	Not Applicable
Flammable Limits Upper:	Not Applicable
Percent Volatiles:	73
10. Stability and Reactivity	
Chemical Stability:	Stable under normal conditions of storage and handling
Incompatible Materials:	Oxidising agents, strong acids and strong bases.
Reactivity:	Does not react under normal storage and handling conditions.
Hazardous Polymerisation:	Will not occur.
11. Toxicological Information	
Toxicology Information:	Not Available
Swallowed:	Slightly irritating, may affect digestive tract when swallowed in volume.

Safety Data Sheet

Fibroseal Primer

Roofing

Issue Date: May 2020

7 Day Technical Support 1800 655 711

Eyes:	Slightly irritating, may affect eyes with prolonged exposure.
Skin:	Slightly irritating, may affect skin on prolonged contact.
Inhaled:	Slightly irritating, may cause nausea on prolonged contact.
Chronic Effects :	Not Available.
12. Ecological Information	
Ecotoxicity :	Not Available
Persistence/Degradability:	Not Available
Bioaccumulative potential:	Not Available
Environmental Protection:	Do not discharge the product into drains, waterways or sewers
13. Disposal Considerations	
Waste disposal:	Disposal of the spilled or waste product must be done in accordance with the applicable local and national regulations.
14. Transport Information	
Road and Rail Transport:	Not Classified as Dangerous Goods according to the Australian Code for the transport of Dangerous Goods (ADG)
Marine Transport:	Not classified as Dangerous Goods by criteria of International Maritime Dangerous Goods Code (IMDG)
Air Transport	Not classified as Dangerous Goods by criteria of IATA
15. Regulatory Information	
Regulatory Information:	Classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC), Australia.
Poisons Schedule:	Classified as Schedule 5 Poison according to the Standard for the Uniform of Drugs and Poisons (SUSDP)
AICS (Australia):	All chemicals are listed on the Australian Inventory of Chemical Substances (AICS) or are otherwise in compliance with NICNAS requirements.
16. Other Information	
Abbreviations:	mmHg – Millimetres of Mercury CAS – Chemical Abstract Service Number (used to uniquely identify chemical compounds)
Date of Issue:	Prepared May 2020
Supersedes:	November 2016
Contact Person/Point:	Technical Manager/Chemist: Phone: +61 8 9458 5711 Emergency: Poisons Information Centre 13 11 26
Disclaimer	
Crommelin® and other marks followed by ® are registered trademarks. Marks followed by the symbol of ™ are trademarks. Any advice, recommendation, information, assistance or service provided by Crommelin® in relation to its products or their use is given in good faith, however is provided without responsibility or liability. Customers need to undertake their own assessment to determine the suitability of a product for the particular use intended. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs on the specific surface.	

End of MSDS